SHORT TENDER NOTICE INVITING QUOTATION (NIQ)

Separate item-wise sealed quotations are invited from the authorized dealers/suppliers/experienced firms for installation and commissioning of reputed brands of Solar Power Plant, Solar Pumps with necessary fittings, Iron removal filters, Construction of Mist Chamber, Poly House, Agro-shed Net House, Open Green House, supply of Goat proof fencing, Steel Frames, Root Trainers at Western Assam Genetic Range, Rani under APFBC Project.

Terms and condition and other details may be obtained from the office of the Divisional Forest Officer, Genetic Cell Division, Assam, Basistha Forest Complex, Guwahati-29 during office hours from 29-06-2016 to 2.00 P.M. of 14-07-2016.

The sealed quotations will be received up to 3-00 P.M. on 14-07-2016 in the office of the undersigned and the same will be opened on the same day at 3-30 P.M.

Detailed terms and condition may also be obtained from the website apibcs.nic.in.

The undersigned reserves the right to accept or reject any/all quotations without assigning and reason thereof.

5d/
Divisional Forest Officer:
Genetic Cell Division, Assam:
Guwahati-29.



GOVT. OF ASSAM

OFFICE OF THE DIVISIONAL FOREST OFFICER::GENETIC CELL DIVISION::ASSAM BASISTHA::GUWAHATI-29.

No. Gene/hi	gh-Trch/Quotation/109-16	Dated Guwahati, the 29" June, 2016
To,		

		ummmees)
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Sub:-	Invitation for quotations for construction of Chamber), Agro-shed Net House, Open Agro-shed Net	hed Net House, Irrigation System, Root o, supply of Goat Proof Fencing, supply of
Dear Sir,	You are invited to submit your most competitive	e quotation for the following:

ITEM NO. 1: MIST CHAMBER SHADE NET HOUSE

SI.	Materials Description	Quantity
vo.	Waterials Description	
	Mist Chamber: L: 15 Mtr, W: 7 Mtr, CH: 3 Mtr	
	Shade Net House: L: 17 Mtr ,W: 9 Mtr , CH: 4 Mtr	
	Frame work: ISI Branded	
	Structure with prefabricated G.I.Pipes" B "Class	
	48mm OD for Post (SH) 42mm OD, 32mm OD,	
ā		
	25mm OD for (MC) truss work	
	Claddings (Covering):	
	Mist Chamber :200 Micron UV Stabilized, Thermic,	
	Anti -Drip, Anti -dust, 5 layer super strong low density	
	Polyethylene film, Shade net House 50% UV stabilized	
	Agro Shade net Green with Block colour to fix top side only.	
	Gripper: Non-corrosive Aluminium C channel with	
	plastic coated Zig Zag spring wire	
	Ex- haust fan: Heavy duty Electrical Evaporating with	
	2 nos.Axial Ex-haust fan to fix front both side of the MC	
	Cooling Systems : and cellulose cooling pad	
	100 mm (4") 2mtr x 5mtr with frame and water	
	circulating accessories to decrease the inner	
	temperature. Frame with Cooling pad ,water and	
	drainage specility to fix back side of the MC	
	Door :G.I . Frame with U.V.Sheet 2 mtr x 1 mtr	
	Micro Irrigation Systems :	
	50mm/6ksc & 40mm/6ksc PVC Pipe ISI Make,	
	16mm LLDPE lateral, 27lph Mister to fix top side	
	Outer of MC and Four way fogger with antileak	
	adopter in four splits to fix inside of the MC, 50mm &	
	40mm Pvc Control valve with Pvc Fittings (Tee, Elbow,	
	Coupler, Reducer MTA & Th. Endcap etc.,)	
	Mist Chamber : L : 15 Mtr ,W : 7 Mtr ,CH : 3 Mtr	105 Sq.Mtr.
	Shade Net House: L: 17 Mtr ,W: 9 Mtr , CH: 4 Mtr.	153 Sq.Mtr.

ITEM NO. 2 : POLY HOUSE (MOTHER CHAMBER) :

SI.	Materials Description	Quantity .
No.	19) Comment of the property of the property of	
1	Frame work:	ernas formé de médient de la titul de la titul de la la modia de la podra su proprieta de la della media en come de la modia de la podra en la modia en la media en come de la media en la
. 1	Existing Structure- G.I.Pipes to be used.	
2	Claddings (Covering):	
2	200 Micron UV Stabilized, Thermic, Anti -Drip, Anti -dust	
	5 layer super strong low density Polyethylene film	
	Insect net 40 gsm UV Stabilized to fix four	
	side of the PH.	
3	Gripper : Non-corrosive Aluminium C channel with	
_	plastic coated Zig Zag spring wire	
4	Ex- haust fan : Heavy duty Electrical Ex-haust fan	
	One Number to fix front Top side of the PH	
5	Door :G.I .Frame with Insect Net 2 m x 1 m	
6	Micro Irrigation Systems :	
	50mm/6ksc & 40mm/6ksc PVC Pipe ISI Make,	
	16mm LLDPE lateral, Four way fogger with antileak	
	adopter in four splits to fix inside of the PH,	
	50mm & 40mm Pvc Control valve with Pvc Fittings	
	(Tee, Elbow, Coupler, Reducer MTA & Th.Endcap etc.,)	
	Poly House Size: Length: 10 mtr, Breath: 4 mtrs.	40 Sq.Mtr

	ITEM NO. 3: AGRO SHADE NET HOUSE	
SI. No.	Materials Description	Quantity
	Shade Net House Size:Length: 20 mtr, Breath: 10 mtrs, Center Height:	4 mtr, Side Height: 3 mtr
1	Frame work:	
	Structure with prefabricated G.I.Pipes" B "Class	
	48mm OD for Post (SH) 42mm OD, 32mm OD,	
	25mm OD for (MC) truss work	
2	Claddings (Covering):	
	Shade Net House:50% UV Stabilized Agro Shade	
	net Green with Block colour to covering four	
	side of the SH	
3	Gripper: Non-corrosive Aluminum C channel with	
	plastic coated Zig Zag spring wire	
4	Door :G.I . Frame with Shade net 2 m x 1 M	
5	Micro Irrigation Systems :	
	50mm/6ksc & 40mm/6ksc PVC Pipe ISI Make,	
	16mm LLDPE lateral,, Misting systems to fix in	
	side of the top 50mm Pvc Control valve with	
	Pvc Fittings	
	(Tee, Elbow, Coupler, Reducer MTA & Th. Endcap etc.,)	
	Shade Net House Size:	
	Length: 20 mtr, Breath: 10 mtrs, = 200 Sq. Mtr x 2 shades	400 Sq.mtr

SI. No.	Materials Description	Quantity
1 2	Shade Net House Size: Length: 12 mtr, Breath: 7.50 mtrs, Center Height: 4 mtr, Side Height: 3 mtr Frame work: Structure with prefabricated G.I.Pipes" B "Class 48mm OD for Post (SH), 32mm OD, 25mm OD for (MC) truss work Claddings (Covering): Shade Net House:50% UV Stabilized Agro Shade net Green with Block colour to covering Top.	90 Sq. Mtr. X 4 = 360 Sq. Mtrs.
3	side of the OSH Gripper: Non-corrosive Aluminum C channel with plastic coated Zig Zag spring wire	

SI.	Materials Description	Quantity
No.		
	Supply and laying of 90mm OD, Main Line ,	90 Mtr
	63mmOD,50mm OD PVC Pipes Sub line,	180 Mtr
	63mm Pvc Control Valve	9 Nos
	1000 LPH ,Iron Filter Station With B/W Assembly (25m3/hr)	1 Set
	Heavy Duty Industrial Plastic Screen Filter(25m3/hr)	1 No
	1" Air/Vacuum Breaker Valve with assembly	5 Nos
	Pvc Fittings and Accessories	
	(Tee, Elbow, Coupler, Reducer MTA & Th. Endcap etc.,)	L/s

SI.	Materials Description	Quantity
No.		
ROOT	TRAINER	
Supply	ring of Portray Root Trainer	
20/24		
Featur	es:	
High d	urability	
	o clean	The state of the s
Perfec	t finish	
Crack	resistance	2400 nos

	ITEM NO. 7: STEEL STAND		
SI.	Materials Description	Quantity	
No.			
	Supplying of Steel stand		
	Features: 1.0 M X 1.5 M X 0.75 M (Ht.), 35 mm Angle size,	120	
	25mm x 5mm Flat patti - size.		

	ITEM NO.8: SOLAR POWER PLANT		
SI.	Materials Description	Quantity	
No.			
	For Supply, Installation & Commissioning of Solar		
	photovoltaic 10 KW Power Plant (with battery backup)		
		10 KWp (1 unit)	
	(inclusive of AMC for one year)		

N.B. – Organization submitting quotation for Solar Power Plant must be MNRE partners.

SI.	Materials Description	Quantity
No.		
	For Supply, Installation & Commissioning of Solar Water Pump of 0.75 HP (1300 Wp) Submersible and 4.00 HP (5100 Wp) Submersible Pump along with 2 Pump controller,2 Add-on units etc. (inclusive of AMC for one year)	6

ITEM NO. 10: SUPPLY OF GOAT PROOF NETTING FOR BOUNDARY FENCING		VETTING FOR
SI. No.	Materials Description	Quantity
	Supplying of goat proof wire fencing 1200mm high with horizontal wire spacing at 100mm.	655.00 RM

SI. No.	Materials Description	Quantity
	(a) Bricks	60,000 nos
phone assir meneral phone	(b) Sand,	50 Cu. Mtrs.
	(c) Stone (Chips) Sizes: 3/4"down	50 Cu. Mtrs.
eg sepana de respeci la sepera	(d) Picked Jhama Bricks	6,000 nos
	(e) Sand-gravel for flooring.	50 Cu. Mtrs.

SI. No.	Materials Description	Quantity	
	(a) Cement	500 Bags	
	(a) Cemen		

SI. No.	Materials Description	Quantity	
		15.0 Qtls.	
	(a) Steel (Iron rod)		

SI. No.	Materials Description	Quantity
	(a) Coloured C.f. sheet (Branded quality)	18.85 sq. ft.

TERMS AND CONDITIONS

1. Bidding and Price

- a) The contract shall preferably be awarded for full quantity of goods as described above. However, based on quality and cost assessment as well as ability of the quotationers to supply the goods ordered within the specified time at construction site i.e. the Range Office, Western Assam Genetic Range, Rani.
- b) The Gross Total Price (GTP) quoted shall include basic price of each item of goods, VAT and other Taxes, Duties, Levies etc. inclusive of transportation charges, fitting and fining etc. complete.
- c) The rates quoted by the quotationer shall be fixed for duration of the contract i.e. for 90 days from the date of order placement and shall not be subject to adjustment/change/modification on any account.
- d) The prices shall be quoted in Indian Rupees only.
- e) The purchaser may assess/inspect the item offered by the quotationer before arriving at final decision and the quotationer shall facilitate such inspection.
- The quotationer may enclose catalogue of offered item of goods.

- Each quotationer shall submit only one quotation with copy of firm Registration Certificate enclosed with the Quotation. Quotations not accompanied with following documents are liable to be rejected summarily.
 - a) The quotationer must submit quotation for only one company/brand in each quotation.
 - b) The quotationer should submit quotation for ISO/ISI certified brand/product and copy of ISO/ISI certification shall be furnished along with the quotation.
 - c) The actual quantity of items to be supplied may vary at the time of supply order is placed. During the period of validity of the contract the purchaser however may place order for supply of additional number of some items or for additional items from the items offered by the quotationer.

3. Validity of Quotation

Quotation shall remain valid for a period not less than 90 days from the date of placement of supply order with the successful quotationer.

- 4. Works should be completed within one month. 10% of the money allotted against certain works after completion will be kept as security till 3 (three) months and details of which may be had from the undersigned during office hours.
- Preference will be given to the parties having proven experience for execution of similar works recently. Such
 parties must produce authenticated documents to establish their credential.
- Payment shall be made only after receipt of the fund from the Project Management Units (PMU), APFBC Society and after delivery of all the items/ installation for which order is placed and successfully completed.
- Mormal commercial warranty/guarantee shall be applicable to the supplied goods.
- 8. Quotationers are advised to familiarize themselves the terms and conditions and specifications.
- 9. Sample of specific materials will have to be submitted along with the quotation as required.
- 10. The undersigned reserves the right to accept or reject any/all quotations without assigning any reason thereof.

DIVISIONAL FOREST OFFICER GENETIC CELL DIVISION ASSAM BASISTHA, GUWAHATI-29

Memo No. A/Gene/APFBC Society/ 2016-17/77-88

Dated Guwahati, the 29th June/2016

Copy to:-

- The Principal Chief Conservator of Forests & Head of Forest Force, Assam, Panjabari, Guwahati-37 for favour of his kind information.
- The Additional Principal Chief Conservator of Forests —cum- Project Director, PMU, APFBC Society Assam, Panjabari, Guwahati-37 for favour of his kind information.
- 3. The Additional Principal Chief Conservator of Forests Research, Education and Working Plan, Assam, Jalukbari, Guwahati-14 for favour of her kind information.
- 2) The Chief Conservator of Forests, O/o the Conservator of Forests, Research & Education Circle, Asssam, Basistha, Guwahati-29 for favour of his kind information.

DIVISIONAL FOREST OFFICER, GENETIC CELL DIVISION ASSAM, BASISTHA, GUWAHATI-29.

FORMAT OF QUOTATION

Item No	Description of the Goods	Specifications with company/Brand name	Quantity offered to be supplied	Quoted price per unit (in Rs.)	Total Amount	
					In figures	In words
	end medium ent journ provincial entité acción en hama l'az aumps al aprociation della la littera habita, del cad		e appropria estre estrumbula de la començão de la c		egiology (Arginifes) presidente princides at interestation in control of Assert and Assert and Assert and Assert	Managinth (c) is a Control of the American Control of America (America) of America
					The control of the co	
					manimical approximation of the control of the contr	
			The state of the s		The state of the s	

Grass Total Cost : Rs	
We agree to supply the above goods in accordance with the technical specifications for a	total contract price of
Rs(amount in figures) Rs	(amount in
Words) within the period specified in the invitation for Quotation.	
We also confirm that the normal commercial warrantee/ guarantee of the offered goods.	months shall apply to
We hereby certify that we have taken steps to ensure that no person acting for us bribery.	s or on our behalf will engage in

Signature of Supplier

NOTICE

It is to inform all concerned i.e. authorized dealers/suppliers/ experienced firms that the last date of receipt of sealed quotations which was published on 29/06/2016 vide this office letter No. B/Gene/High-Tech/ 2016-17/99 for installation and commissioning of reputed brands of Solar Power Plant, Solar Pumps, Iron removal filters, Construction of Mist Chamber, Poly House, Agroshed Net House, Open Green House, supply of Goat proof fencing, Steel Frames, Root Trainers, Building materials etc. is extended up to 3 P.M. on 25th July, 2016.

Detailed terms and condition may also be obtained from the website <u>apfbcs.nic.in.</u>

Sd/
Divisional Forest Officer:
Genetic Cell Division, Assam:
Guwahati-29.

11.5 / secam, Guwanan.

GENETIC CELL DIVISION ASSAM